# MED-359 @ 1 cSt



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: Date of issue: Version: 2.0 14/09/2016 20/12/2013

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Substance
Product Name MED-359 @ 1 cSt

CAS No : 107-51-7 Synonyms : Silicone Fluid

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec Industrial

Use of the substance/mixture Ideal for providing lubricious and/or hydrophobic coating. For

professional use only.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

#### 1.4. Emergency telephone number

Emergency: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and

number Maritime)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Lia. 3 H226

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP) Warning

Hazard statements (CLP) H226 - Flammable liquid and vapour

Precautionary statements (CLP) P210 - Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof lighting, ventilating, electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear eye protection, protective gloves, protective clothing P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower

P370+P378 - In case of fire: Use appropriate media (see section 5) to

extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/container in accordance with local,

regional, national, and international regulations

#### 2.3. Other Hazards

Other hazards not contributing to the classification

Exposure may aggravate pre-existing eye, skin, or respiratory

conditions.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Octamethyltrisiloxane	(CAS No) 107-51-7 (EC no) 203-497-4	> 90	Flam. Liq. 3, H226

Full text of H-statements: see section 16

#### 3.2. Mixture

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel

unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation When symptoms occur: go into open air and ventilate suspected

area. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin

contact

Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops

or persists.

First-aid measures after eye

contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical

attention.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries Not expected to present a significant hazard under anticipated

conditions of normal use.

Symptoms/injuries after inhalation

Symptoms/injuries after skin

contact

Prolonged exposure may cause irritation.

Prolonged exposure may cause skin irritation.

Symptoms/injuries after eye

contact

May cause slight irritation to eyes.

Symptoms/injuries after ingestion Ingestion may cause adverse effects.

Chronic symptoms None expected under normal conditions of use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

Water may be ineffective but water should be used to keep fire-

exposed container cool.

Unsuitable extinguishing media Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour. Fire hazard

**Explosion hazard** May form flammable or explosive vapour-air mixture. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or

explosion.

5.3. Advice for firefighters

Precautionary measures fire Exercise caution when fighting any chemical fire.

Firefighting instructions Use water spray or fog for cooling exposed containers. In case of

major fire and large quantities: Evacuate area. Fight fire remotely

due to the risk of explosion.

Protection during firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Avoid breathing (vapour, mist, spray). Do not get in eyes, on skin, or

on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to

avoid static electric charges.

6.1.1. For non-emergency personnel

Use appropriate personal protection equipment (PPE). Protective equipment Evacuate unnecessary personnel. Stop leak if safe to do so. **Emergency procedures** 

**6.1.2.For emergency responders** 

Protective equipment Equip cleanup crew with proper protection.

**Emergency procedures** Ventilate area. Eliminate ignition sources. Upon arrival at the scene,

a first responder is expected to recognize the presence of

dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions

permit.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment Contain any spills with dikes or absorbents to prevent migration and

entry into sewers or streams. As an immediate precautionary

measure, isolate spill or leak area in all directions.

Clean up spills immediately and dispose of waste safely. Transfer Methods for cleaning up

> spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw

dust or cellulosic material. Use only non-sparking tools.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when Handle empty containers with care because residual vapours are

processed flammable.

Precautions for safe handling Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing vapours, mist, spray. Take precautionary measures against

static discharge. Use only non-sparking tools.

Hygiene measures Handle in accordance with good industrial hygiene and safety

procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when

leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Comply with applicable regulations. Take action to prevent static

discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

Storage conditions Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep

in fireproof place.

Incompatible products Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

Ideal for providing lubricious and/or hydrophobic coating. For professional use only.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapours may be released. Proper grounding procedures to avoid static electricity should be followed.

Use explosion-proof equipment.

Personal protective equipment Gloves. Protective clothing. Protective goggles. Insufficient

ventilation: wear respiratory protection.









Materials for protective clothing Chemically resistant materials and fabrics. Wear fire/flame

resistant/retardant clothing.
Wear protective gloves.

Hand protection Wear protective gloves. Eye protection Chemical safety goggles.

Skin and body protection Wear suitable protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, approved

respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels

are not known wear approved respiratory protection.

Other information When using, do not eat, drink or smoke.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour : Odourless.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : 152 °C (306 °F) Flash point : 30 °C (86 °F)

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative Density : 0,816 (water=1) Solubility : No data available Partition coefficient: n-octanol/water : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosive properties** : No data available Oxidising properties : No data available **Explosive limits** : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Hydrocarbons. Will decompose above 150 °C (>300° F) releasing formaldehyde vapours. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity Not classified

#### MED-359 @ 1 cSt

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Octamethyltrisiloxane (107-51-7)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat (Vapours - mg/l/4h)	> 22,6 mg/l/4h	

Skin corrosion/irritation

Serious eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Not classified

Not classified

Not classified

Not classified

Not classified

Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard Not classified

Potential adverse human health

effects and symptoms

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general Not classified.

#### 12.2. Persistence and degradability

MED-359 @ 1 cSt (107-51-7)	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

MED-359 @ 1 cSt (107-51-7)	
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations Dispose of contents/container in accordance with local, regional,

national, and international regulations.

Additional information : Handle empty containers with care because residual vapours are

flammable.

Ecology - waste materials Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) 1993

14.2. UN proper shipping name

Proper Shipping Name (ADR) FLAMMABLE LIQUID, N.O.S.

#### MED-359 @ 1 cSt

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description UN 1993 FLAMMABLE LIQUID, N.O.S. (Octamethyltrisiloxane solution),

(ADR) 3, III, (D/E)

14.3. Transport hazard class(es)

Class (ADR) 3 Danger labels (ADR) 3



14.4. Packing group

Packing group (ADR)

14.5. Environmental hazards

Other information No supplementary information available.

14.6. Special precautions for user14.6.1. Overland transport

Hazard identification number 30

(Kemler No.)

Classification code (ADR) F1

Orange plates

30 1993

Special provisions (ADR) 274, 601, 640E

Transport category (ADR) 3
Tunnel restriction code (ADR) D/E
Limited quantities (ADR) 51
Excepted quantities (ADR) E1
EAC code •3YE

14.6.2. Transport by sea

MFAG-No : 127;128

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

MED-359 @ 1 cSt is not on the REACH Candidate List

MED-359 @ 1 cSt is not on the REACH Annex XIV List

15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Indication of changes:

Date Changed
14/09/2016

# MED-359@1cSt

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2	Hazards identification	Removed DSD/DPD information.	14/09/2016
3	Composition/information on ingredients	Removed not classified components and components below cutoffs. Removed DSD/DPD information.	14/09/2016
9	Physical and chemical properties	Modified	14/09/2016
15.1.1	EU-Regulations	Modified	14/09/2016

Revision date 14/09/2016

Data sources According to Regulation (EC) No. 1907/2006 (REACH) with its

amendment Regulation (EU) 2015/830

#### Full text of H- and EUH-statements:

Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour

Nusil EU GHS SDS

We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of NuSil Technology, it is the user's obligation to determine the conditions of safe use of the product.

# Polymer Systems Technology Limited



# Silicone Sales & Services UK - Ireland - Benelux

© 2018 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

