MED3-4102



Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Revision date:

Date of issue:
29/10/2015

Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Mixture
Product Name MED3-4102

Synonyms Titanium Dioxide Masterbatch

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture For easy and more precise additions of Titanium Dioxide to high

consistency silicone materials which may be molded, calendared or

extruded. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780 ehs@nusil.com www.nusil.com

1.4. Emergency telephone number

Emergency: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and

number Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315 Eye Irrit. 2 H319

29/10/2015

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

 \Diamond

arnina

Signal word (CLP) Warning

Hazard statements (CLP) H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements (CLP) P264 - Wash hands, forearms and other exposed areas thoroughly

EN (English)

after handling

P280 - Wear eye protection, protective clothing, eye protection,

face protection

P302+P352 - IF ON SKIN: Wash with plenty of water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several

1/8

minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

P321 - Specific treatment (see section 4 on this SDS)

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before

reuse

2.3. Other Hazards

Other hazards not contributing to

the classification

Exposure may aggravate those with pre-existing eye, skin, or

respiratory conditions.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide	(CAS No) 13463-67-7 (EC no) 236-675-5	75 - 80	Not classified
Siloxanes and Silicones, dimethyl, vinyl group-terminated	(CAS No) 68083-19-2	20 - 25	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of First Aid Measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel

unwell, seek medical advice (show the label if possible).

First-aid measures after inhalation Remove to fresh air and keep at rest in a position comfortable for

breathing. Obtain medical attention if breathing difficulty persists.

Rinse immediately with plenty of water. Obtain medical attention if

First-aid measures after skin

Rinse immediately with plent irritation develops or persists.

First-aid measures after eye

contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical

attention.

First-aid measures after ingestion Do NOT induce vomiting. Rinse mouth. Immediately call a POISON

CENTER or doctor/physician.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms/injuries Causes serious eye irritation. Causes skin irritation.

Symptoms/injuries after inhalation May cause respiratory irritation.

Symptoms/injuries after skin

May cause skin irritation.

contact

Symptoms/injuries after eye

contact

Causes serious eye irritation.

Symptoms/injuries after ingestion Ingestion is likely to be harmful or have adverse effects.

Chronic symptoms None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing Media

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may

spread fire. Application of water stream to hot product may cause

frothing and increase fire intensity.

5.2. Special Hazards Arising From the Substance or Mixture

Fire hazard Not considered flammable but may burn at high temperatures.

Explosion hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for firefighters

Precautionary measures fire Exercise caution when fighting any chemical fire.

Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including

respiratory protection.

Other information Refer to Section 9 for flammability properties.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor,

mist, spray).

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and

entry into sewers or streams.

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Spills should

be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a

spill.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures Handle in accordance with good industrial hygiene and safety

procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Comply with applicable regulations.

Storage conditions Store in a dry, cool and well-ventilated place. Keep container closed

when not in use. Keep/Store away from direct sunlight, extremely high

or low temperatures and incompatible materials.

Incompatible products Strong acids. Strong bases. Strong oxidizers.

7.3. Specific end use(s)

For easy and more precise additions of Titanium Dioxide to high consistency silicone materials which may be molded, calendared or extruded. For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Titanium dioxide (13463	3-67-7)	
Austria	MAK (mg/m³)	5 mg/m³ (alveolar dust, respirable fraction)
Austria	MAK Short time value (mg/m³)	10 mg/m³ (alveolar dust, respirable fraction)
Belgium	Limit value (mg/m³)	10 mg/m³
Bulgaria	OEL TWA (mg/m³)	10,0 mg/m³ (respirable dust)
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	10 mg/m³ (total dust) 4 mg/m³ (respirable dust)
France	VME (mg/m³)	10 mg/m³
Greece	OEL TWA (mg/m³)	10 mg/m³ (inhalable fraction) 5 mg/m³ (respirable fraction)
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
Latvia	OEL TWA (mg/m³)	10 mg/m³
Spain	VLA-ED (mg/m³)	10 mg/m³
Switzerland	VME (mg/m³)	3 mg/m³ (respirable dust)
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ (total inhalable) 4 mg/m³ (respirable)
United Kingdom	WEL STEL (mg/m³)	30 mg/m³ (calculated-total inhalable) 12 mg/m³ (calculated-respirable)
Denmark	Grænseværdie (langvarig) (mg/m³)	6 mg/m³
Estonia	OEL TWA (mg/m³)	5 mg/m³
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³ (total inhalable dust) 4 mg/m³ (respirable dust)
Ireland	OEL (15 min ref) (mg/m3)	30 mg/m³ (calculated-total inhalable dust) 12 mg/m³ (calculated-respirable dust)
Lithuania	IPRV (mg/m³)	5 mg/m³
Norway	Grenseverdier (AN) (mg/m³)	5 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	5 mg/m³
Poland	NDS (mg/m³)	10,0 mg/m³ (<2% free crystalline silica and containing no asbestos-inhalable fraction)
Romania	OEL TWA (mg/m³)	10 mg/m³
Romania	OEL STEL (mg/m³)	15 mg/m³
Sweden	nivågränsvärde (NVG) (mg/m³)	5 mg/m³ (total dust)
Portugal	OEL TWA (mg/m³)	10 mg/m³
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen

8.2. Exposure controls

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas.

Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure. Ensure

all national/local regulations are observed.

Personal protective equipment Protective goggles. Gloves. Protective clothing.







Materials for protective clothing

Hand protection

Eye protection Skin and body protection

Respiratory protection

Environmental exposure controls Consumer exposure controls

Other information

Chemically resistant materials and fabrics. Wear chemically resistant protective gloves.

Chemical goggles or safety glasses. Wear suitable protective clothing.

Use an approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure

_imits.

Do not allow the product to be released into the environment.

Do not eat, drink or smoke during use. When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : White

Odour

Odour threshold

PH

Relative evaporation rate (butylacetate=1)

Odour threshold

No data available

No data available

Relative evaporation rate (butylacetate=1) : No data available Melting point No data available Freezing point : No data available Boiling point No data available > 275 °C (527 °F) Flash point Self ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C No data available

Relative Density : 2 (water=1)

No data available Solubility Log Pow : No data available Log Kow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

MED3-4102

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Silicon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Not classified

Siloxanes and Silicones, dimethyl, vinyl group-terminated (68083-19-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 20000 mg/kg
LC50 inhalation rat (mg/l)	> 600 mg/m³
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Not classified

Not classified

Not classified

Not classified

Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard Not classified

SECTION 12: Ecological information

12.1. Toxicity

Titanium dioxide (13463-67-7)	
LC50 fish 1	> 1000 ml/l (Exposure Time: 96h - Species: Pimephales promelas (static)

12.2. Persistence and degradability

MED3-4102	•
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

MED3-4102		
	Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations Dispose of waste material in accordance with all local, regional,

national, and international regulations.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport

No additional information available

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances VOC content < 1 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section	Section Header	Change	Date Changed
1.3	Details of the supplier of the safety data sheet	Modified	29/10/2015
2	Hazards identification	Removed DSD/DPD information.	29/10/2015

MED3-4102

Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

2.3	Other Hazards	Modified	29/10/2015
3	Composition/information on ingredients	New components replaced old components. Changed component classification. Removed DSD/DPD information.	29/10/2015
15.1.1	EU-Regulations	Modified	29/10/2015

Revision date 29/10/2015

Data sources According to regulation (EU) No. 2015/830 and regulation (EC) No.

1272/2008

Full text of R-, H- and EUH-phrases

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation

Nusil EU GHS SDS

We believe that the information contained herein is current as of the date of this Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of NuSil Technology, it is the user's obligation to determine the conditions of safe use of the product.



Silicone Sales & Services UK - Ireland - Benelux

© 2020 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

